



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

*Reports from Nuevitas, Puerto Padre, Gibara, Banes, and Baracoa.*NUEVITAS, CUBA, *July 11, 1902.*

SIR: Through Surg. A. H. Glennan, Havana, I have the honor to submit the following report of this station and subports for the week ended July 5, 1902:

Nuevitas.—Two bills of health were issued to vessels bound for ports in the United States, 17 health certificates issued, 25 pieces of baggage inspected and passed, and 9 pieces disinfected. The weather continues hot and dry. The sanitary condition of the port is good. Two deaths occurred during the week—1 from tuberculosis and 1 from athrepsia.

Puerto Padre.—Sanitary condition of the port, good. No deaths.

Gibara.—Sanitary condition of the port, good. Two deaths from cerebral fever and peritonitis, respectively.

Banes.—Sanitary condition of port, good. Two deaths—1 from tuberculosis and 1 from peritonitis.

Baracoa.—Four deaths—1 from drowning, 2 from enteritis, and 1 from rachitis. The sanitary condition of the port is good.

Respectfully,

E. F. McCONNELL,
Acting Assistant Surgeon.

The SURGEON-GENERAL.

Report of immigrants inspected at the port of Santiago de Cuba from May 1 to May 20, 1902.

Total number of immigrants inspected, 25; number passed, 25.

Respectfully,

ALEXANDER B. McDOWELL,
Acting Assistant Surgeon.

The SURGEON-GENERAL.

EGYPT.

Cholera near Siout (Assiout).

[Cablegram.]

ALEXANDRIA, EGYPT, *July 21, 1902.*

WYMAN: Cholera outbreak Moucha near Assiout.—LONG.

ENGLAND.

*Reports from Liverpool.*LIVERPOOL, ENGLAND, *July 1, 1902.*

SIR: I have the honor to state that for the week ended June 28, 1902, there were reported in Liverpool the following cases: Smallpox, 1; typhus fever, 5; enteric fever, 14; scarlet fever, 105; diphtheria, 21, and measles, 61.

For the same period in Birkenhead there were reported 6 cases of scarlet fever, 2 of diphtheria, 6 of enteric fever, 2 of erysipelas, and 26 of measles.

Respectfully,

CARROLL FOX,
Assistant Surgeon.

The SURGEON-GENERAL.

LIVERPOOL, ENGLAND, *July 8, 1902.*

SIR: I have the honor to state that for the week ended July 5, 1902, there were reported to the local health authorities the following cases: Smallpox, 3; typhus fever, 3; enteric fever, 11; scarlet fever, 94; diphtheria, 19, and measles, 15.

For the same period there were reported from Birkenhead the following cases: Scarlet fever, 5; enteric fever, 4; erysipelas, 1, and measles, 28.

Respectfully,

CARROLL FOX,
Assistant Surgeon.

The SURGEON-GENERAL.

Reports from London.

LONDON, ENGLAND, *July 1, 1902.*

SIR: I have the honor to submit the following report for the week ended June 28, 1902: Five vessels were inspected and given bills of health and 102 members of the crew and cattlemen were vaccinated.

In the 76 great towns of England and Wales there was a total of 31 deaths from smallpox and, of this number, 24 occurred in London during the week ended June 21, 1902. For the same period there were 42 deaths from this disease in Greater London. The admissions during the week were 107 cases against 251, 188, and 157 for the three preceding weeks. There were 822 cases of smallpox under treatment in the hospitals on June 28, 1902. In view of the fact that smallpox is constantly decreasing at this port, I do not consider that it will be necessary to continue the inspection and vaccination after July 15, 1902, and recommend that this work be discontinued from that date. Weekly abstract of bills of health inclosed.

Respectfully,

JOHN McMULLEN,
Passed Assistant Surgeon.

The SURGEON-GENERAL.

LONDON, ENGLAND, *July 7, 1902.*

SIR: I have the honor to report that for the week ended July 5, 1902, there were inspected and given bills of health at this port 10 vessels and 114 members of the crew and cattlemen were vaccinated. On the vessels of the Atlantic Transport Line the vaccination was performed by the ship's surgeon.

During the week ended June 28, 1902, there were 26 deaths from smallpox, and, of this number, 17 occurred in London, 7 less than the preceding week. The admissions during the week were 129 cases against 188, 157, and 107 for the three preceding weeks. Weekly abstract of bills of health inclosed.

Respectfully,

JOHN McMULLEN,
Passed Assistant Surgeon.

The SURGEON-GENERAL.

GERMANY.

Report from Berlin—Plague and cholera in various countries.

BERLIN, GERMANY, *July 3, 1902.*

SIR: I have the honor to transmit the latest information obtained from the imperial health office (Kaiserliches Gesundheitsamt) at Berlin regarding plague and cholera.